

EcoTank M1180



DATASHEET / BROCHURE



With 11,000 pages' worth of ink, Wi-Fi, USB and Ethernet connectivity, and a three-year warranty¹, this EcoTank is easy-to-use with a low TCO.

Wi-Fi-enabled mono EcoTank printer for business, with an extremely low TCO in a user-friendly, stylish and compact design. Print up to an amazing 11,000 pages with the included ink that comes in a bottle for mess-free, easy refills. Wi-Fi, USB and Ethernet connectivity, PCL support, and a fast FPOT of six seconds all help to keep productivity high.

Save money

A high ink yield combined with Epson's economical inkjet technology delivers a low TCO and a competitive cost per page.

Save time

This reliable cartridge-free printer features an enhanced ink filling system and easy-to-use ink bottles, keeping intervention to a minimum. Thanks to the ink tank being positioned at the front of the printer, with a clear view of the ink levels, this new design is compact and provides easy access for refilling. Its fast First Page Out Time (FPOT) of six seconds from sleep, and 20ppm print speed, mean you won't be waiting around for jobs.

Save energy

Unlike a laser, our inkjet technology doesn't need any heat during the printing process, helping to keep energy use low and reduce electricity bills.

Connectivity

Wi-Fi, Ethernet and USB connectivity and a compact footprint mean that it's easy to place on a desktop and connect to a user's PC or laptop.

KEY FEATURES

- **Low TCO and energy use**
Keep your printing costs extremely low
- **High ink yields**
Print up to 11,000 pages with the included ink
- **Save time**
Fast FPOT
- **Built for business**
Duplex printing and PCL support
- **Easy connectivity**
Wi-Fi, USB and Ethernet

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|---|
| Printing Method | PrecisionCore™ TFP print head |
| Nozzle Configuration | 400 Nozzles Black |
| Minimum Droplet Size | 2.8 pl |
| Ink Technology | Pigment ink |
| Category | Home Office, Office Desktop, Office Workgroup |
| All-in-One Functions | Print |

PRINT

| | |
|-------------------------------------|---|
| First Page Out | Monochrome 6 Seconds |
| Printing Speed ISO/IEC 24734 | 20 pages/min Monochrome |
| Duplex Printing Speed ISO/IEC 24734 | 9 A4 Pages/min Monochrome |
| Maximum Printing Speed | 39 pages/min Monochrome (plain paper 75 g/m ²) |
| Printing Resolution | 1,200 x 2,400 DPI |
| Printing Volume | 5,000 pages per month |
| | The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities. |
| Recommended Duty Cycle | 200 - 1,500 pages per month |
| Colours | Black |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

CONNECTIVITY

| | |
|------------------------------|---|
| Network Printing Protocols | IPP, LDP, Port 9100, WSD |
| Network Management Protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SLP, WSD, LLTD, Ping |
| Interfaces | Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n |
| WLAN Security | WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES) |
| Network Protocol | TCP/IPv4, TCP/IPv6 |

PAPER / MEDIA HANDLING

| | |
|---------------------------------|---|
| Paper Formats | A4 (21.0x29.7 cm), Legal, A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5 (17.6x25.7 cm), B6 (12.5x17.6 cm), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter |
| Compatible Paper Weight | 64 g/m ² - 90 g/m ² |
| Duplex | Yes (A4, plain paper) |
| Output Tray Capacity | 100 Sheets |
| Paper Tray Capacity | 250 Sheets Standard, 250 Sheets Maximum |
| Standard paper tray(s) | 250-sheet paper tray |
| Maximum paper input | 250 |
| Rear paper path (special media) | Yes |
| Number of paper trays | 1 |

EcoTank M1180

WHAT'S IN THE BOX

- Printer
- X2 ink bottles
- Warranty document
- Power cable

PRODUCT SPECIFICATIONS

| GENERAL | |
|------------------------------------|--|
| Recommended number of users | From: 1 To: 3 |
| Energy Use | 0.8 Watt (sleep mode), 14 Watt (Printing), 3.4 Watt (Ready), 2 Watt (Power off), TEC 0.13 kWh/week |
| Product dimensions | 375 x 347 x 151 mm (Width x Depth x Height) |
| Product weight | 4.3 kg |
| Noise Level | 6.9 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 56 dB (A) according to ISO 9296 |
| Compatible Operating Systems | Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.6.8, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP SP3 or later (32-bit), XP Professional x64 Edition SP2 |
| Sound Power Noise | Operation: 6.9 B (A) Operation: 56 dB (A) |
| Mobile and Cloud printing services | Epson Connect (iPrint, Email Print, Remote Print Driver), Google Cloud Print |
| Power supply | 220V, 240V |
| OTHER FEATURES | |
| Emulations | PCL5e, PCL6 |
| OTHER | |
| Warranty | 12 months On-site service, 100,000 pages Optional warranty extension available |

SUPPLIES

| | | |
|---|------------|-------------|
| ● 110 EcoTank Pigment black ink bottle | C13T03P14A | 6,000 pages |
| ● 110S EcoTank Pigment black ink bottle | C13T01L14A | 2,000 pages |
| ● Maintenance Box | C13T04D100 | |

LOGISTICS INFORMATION

| | |
|-------------------|----------------------------|
| SKU | C11CG94404BY C11CG94404 |
| EAN code | 8715946655314 |
| Country of Origin | Philippines |
| Layer | 2 Units |

EcoTank M1180

INK YIELD DATA



110S Mono ink bottle 110S



2,000 pages*

* Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 19752. 11,000 pages yield based on two ink bottles included with this printer. 6,000 pages yield based on EcoTank ET-MX1XX Series Black Bottle XL ink bottle sold separately. Quoted yields are NOT based on ISO/IEC24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.



Epson Middle East
P.O.Box 17383, Dubai
United Arab Emirates
Telephone: +9714 8818934

Hotline Telephone: +9714 8872172
Fax: +9714 8818945
E-mail: supportme@epson.co.uk
www.epson.ae

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

1. One year RTB standard warranty, three years RTB warranty by registering your product online.

EPSON[®]