# WorkForce Pro WF-C529RDTW





DATASHEET / BROCHURE









Fast print speeds with a smaller footprint, our latest A4 RIPS printer delivers low TCO and a low environmental impact.

High ink yields of up to 50,000 pages in black and 20,000 in colour make this a powerhouse for offices. Increase your business productivity with less intervention, a fast first page out time, and secure printing rules and workflow processes, all while reducing your printing costs and environmental impact.

#### Low running costs

High ink yields lower the need to order and replace supplies frequently, and help to deliver predictable print costs and a competitive Total Cost of Ownership (TCO). Also, inkjet technology with fewer replacement parts, lowers the hidden costs of servicing and intervention.

# High productivity

A fast First Page Out Time (FPOT) of 4.8 secs in black and 5.3 secs in colour from ready mode, and print speeds of up to 24ppm in colour and mono (ISO speed) help to keep productivity high. An improved durability of 240k pages helps print more for longer. A maximum paper capacity of 1,330 sheets means less time spent refilling.

# Low environmental impact

In addition to speeding up printing, the lack of heat needed by our inkjet technology also helps to cut the environmental impact of print by providing a low power solution with fewer supplies. The high ink yield means less waste from supplies, and you can rest assured from a lack of toner dust and ozone gas emissions.

#### **Built for business**

The WF-C529RDTW is one of the few A4 business single-function printers to offer secure, follow-me printing with Epson Print Admin.

## **KEY FEATURES**

- Low running costs
   Benefit from a low Total Cost of Ownership
- Fast FPOT
   4.8secs in black and 5.3 secs in colour from ready mode
- Small footprint
   Easier to position in the office or space-critical workplaces
- Lower your environmental impact
   Low energy consumption reduces CO2
   footprint, no ozone gas emissions
- Secure, follow-me printing With Epson Print Admin



# PRODUCT SPECIFICATIONS

**TECHNOLOGY** 

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles Black, 800 Nozzles per Color Minimum Droplet Size 3.8 pl, With Variable-Sized Droplet Technology

Ink Technology Replaceable Ink Pack System (RIPS)

Category Office Workgroup All-in-One Functions Print

PRINT

First Page Out Monochrome 4.8 Seconds, Colour 5.3 Seconds Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour **Duplex Printing Speed** 15 A4 Pages/min Monochrome, 15 A4 Pages/min Colour

ISO/IEC 24734

Maximum Printing Speed 34 pages/min Monochrome (plain paper 75 g/m²), 34 pages/min Colour (plain paper 75 g/m²)

Printing Resolution 4,800 x 1,200 DPI Printing Volume 50,000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle

Colours Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit http://www.epson.eu/testing.

400 - 4,500 pages per month

CONNECTIVITY

LPR, FTP, IPP, LDP, Port 9100, WSD-Print Network Printing Protocols

Network Management Protocols

 ${\sf HTTP}, {\sf DHCP}, {\sf BOOTP}, {\sf APIPA}, {\sf DDNS}, {\sf mDNS}, {\sf SNTP}, {\sf ENPC}, {\sf SLP}, {\sf WSD}, {\sf LLTD}, {\sf SMTP}, {\sf LLMNR},$ POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DNS-SD, HTTPS, XMPP, LDAP, LDAPS,

SNMP 3.0. SNMP Trap

Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Interfaces

Base TX/ 10-Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 2.0 Type A WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)

WLAN Security Network Protocol TCP/IPv4, TCP/IPv6, HTTP, HTTPS, IPSEC

PAPER / MEDIA HANDLING

A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5 (17.6x25.7 cm), B6 (12.5x17.6 cm), Paper Formats

C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, Legal,  $9 \times 13$  cm,  $10 \times 10$ 

15 cm, 13 x 18 cm, 16:9, HLT, EXE, User defined

Compatible Paper Weight 64 g/m<sup>2</sup> - 300 g/m<sup>2</sup>

Yes Duplex

Standard Paper input 250 Sheets Standard, 80 Sheets MP tray, 500 Sheets paper tray

Output Tray Capacity

Paper Tray Capacity 830 Sheets Standard, 1,330 Sheets Maximum

Standard paper tray(s) 80-Sheet Multi-Purpose Tray, 250-sheet paper tray, 500-Sheet paper tray

Optional paper trav(s) 500-Sheet paper trav

Rear paper path (special

Yes

Number of paper trays 2

#### WorkForce Pro WF-C529RDTW

## WHAT'S IN THE BOX

- Driver and utilities (CD)
- Power cable
- Quick Setup Guide
- User manual (CD)
- Warranty Documents
- Initialization Ink Supply Units



#### PRODUCT SPECIFICATIONS

WorkForce Pro WF-C529RDTW

PAPER FEED BASE

Paper Input Name

A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10 Paper Formats

x 15 cm, 13 x 18 cm, 16:9, Legal, Executive

Custom sizes Min 64x 127 mm to Max 215.9x 6.000 mm

Compatible paper weight 64 g/m<sup>2</sup> - 300 g/m<sup>2</sup>

Paper Capacity 1 80 Sheets of Plain Paper, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C1

Paper Input Name C1

Paper Formats A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter,

**HLT**, Executive

Min 89x 127 mm to Max 215.9x 355.6 mm **Custom sizes** 

Compatible paper weight 64 g/m<sup>2</sup> - 300 g/m<sup>2</sup>

250 Sheets of Plain Paper, 80gsm Paper Capacity 1

Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper Media type

PAPER FEED C2

Paper Input Name

A4, A5, A6, B5, B6, Letter, HLT, LGL, Executive Paper Formats Min 100x 148 mm to Max 215.9x 355.6 mm Custom sizes

Compatible paper weight

64 g/m<sup>2</sup> - 160 g/m<sup>2</sup>

500 Sheets of Plain Paper, 80gsm Paper Capacity 1

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name Duplex

Paper Formats A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Custom sizes Min 148x 210 mm to Max 216x 297 mm

64 g/m<sup>2</sup> - 160 g/m<sup>2</sup> Compatible paper weight

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C3

Paper Input Name СЗ

A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Paper Formats Custom sizes Min 100x 148 mm to Max 215.9x 355.6 mm 64 g/m<sup>2</sup> - 160 g/m<sup>2</sup>

Compatible paper weight

Paper Capacity 1 500 Sheets of Plain Paper, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

**GENERAL** 

Energy Use 1.2 Watt (sleep mode), 24 Watt (Printing), 8 Watt (Ready), 0.2 Watt (Power off), TEC 0.18

kWh/week

Supply Voltage AC 220 V - 240 V, 50 Hz - 60 Hz

Product dimensions 425 x 535 x 513 mm (Width x Depth x Height)

Product weight

Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X Compatible Operating Systems

10.12.x, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64. Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows

Server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2

Sound Power Operation: 6.9 B (A) Noise Operation: 54 dB (A)

Mobile and Cloud printing

services

Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print

Power supply 220V, 240V



## PRODUCT SPECIFICATIONS

WorkForce Pro WF-C529RDTW

ADDITIONAL FEATURES

Features Direct Print, Direct print from USB Panel Type: Color, Diagonal: 6.1 cm

Media Handling

Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support

Security Functions

Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

Mode

OTHER FEATURES

Emulations PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7

OTHER

Warranty 12 months On-site service

Optional warranty extension available



## **SUPPLIES**

Maintenance box	C13T671600	
<ul> <li>WorkForce Pro WF-C529R / C579R Black XXL Ink Supply Unit</li> </ul>	C13T01D100	50,000 pages
<ul> <li>WorkForce Pro WF-C529R / C579R Cyan XXL Ink Supply Unit</li> </ul>	C13T01D200	20,000 pages
<ul> <li>WorkForce Pro WF-C529R / C579R Magenta XXL Ink Supply Unit</li> </ul>	C13T01D300	20,000 pages
<ul> <li>WorkForce Pro WF-C529R / C579R Yellow XXL Ink Supply Unit</li> </ul>	C13T01D400	20,000 pages
<ul> <li>WorkForce Pro WF-C529R / C579R Black XL Ink Supply Unit</li> </ul>	C13T01C100	10,000 pages
<ul> <li>WorkForce Pro WF-C529R / C579R Cyan XL Ink Supply Unit</li> </ul>	C13T01C200	5,000 pages
<ul> <li>WorkForce Pro WF-C529R / C579R Magenta XL Ink Supply Unit</li> </ul>	C13T01C300	5,000 pages
<ul> <li>WorkForce Pro WF-C529R / C579R Yellow XL Ink Supply Unit</li> </ul>	C13T01C400	5,000 pages

#### **OPTIONAL ACCESSORIES**

• 500-Sheet Paper Cassette C12C932871

#### LOGISTICS INFORMATION

SKU	C11CG79402BC C11CG79402BB
EAN code	8715946665641
Country of Origin	Indonesia
Layer	2 Units

## WorkForce Pro WF-C529RDTW

## **INK YIELD DATA**



10,000 pages\* 50,000 pages\*

5,000 pages\* 20,000 pages\*

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield







